Amendments to the Claims:

This listing of claims will replace all prior versions, and listings of claims in the application:

Listing of Claims:

Claim 1 (currently amended): A method of making a preform, comprising: providing reinforcing material <u>comprising chopped fibers</u>; providing binder material;

mixing the reinforcing material and the binder material so that the binder material adheres to the reinforcing materials, wherein the step of mixing the reinforcing material and the binder includes emitting a stream of reinforcing material and emitting a stream of binder and mixing the streams;

applying a stream of the mixture to a <u>solid</u> support surface thereby adhering the mixture to the <u>solid</u> support surface; and

solidifying the mixture to form the preform

Claim 2 (original): The method of claim 1, wherein the step of applying a stream of the mixture to the support surface occurs in the absence of forced air at the support surface.

Claim 3 (original): The method of claim 1, wherein the step of applying a stream of the mixture to the support surface occurs without use of a plenum system.

Claim 4 (original): The method of claim 1, wherein the step of applying a stream of the mixture includes spraying the mixture against the support surface.

Claim 5 (currently amended): The method of claim 1, wherein <u>in</u> the step of providing the reinforcing material includes providing chopped fibers <u>applying</u>, a vacuum is not applied to said solid support surface.

Claim 6 (currently amended): The method of claim 5, wherein the step of providing the chopped fibers comprise includes providing chopped fiberglass.

Claim 7 (original): The method of claim 1, wherein the step of providing the reinforcing material includes emitting a stream of chopped fibers.

Claim 8 (currently amended): The method of claim 1, wherein the step of providing binder includes emitting a stream of binder particulate.

Claim 9 (original): The method of claim 1, wherein the step of providing binder includes conditioning the binder before mixing the binder with the reinforcing material.

Claim 10 (original): The method of claim 9, wherein conditioning the binder includes heating the binder.

Claim 11 (canceled).

Claim 12 (currently amended): The method of claim <u>1</u> +1, wherein emitting the streams of reinforcing material and binder includes emitting a plurality of streams wherein the streams are layered together.

Claim 13 (currently amended): The method of claim $\underline{1}$ H, further comprising conditioning the binder prior to emitting the stream of binder.

Claim 14 (original): The method of claim 13, wherein conditioning includes heating the binder.

Claim 15 ((currently amended): The method of claim $\underline{1}$ +1, wherein mixing the reinforcing material and the binder includes applying heat.

Claim 16 (original): The method of claim 15, wherein the reinforcing material and the binder are combined before applying the heat.

Claim 17 (original): The method of claim 15, wherein the reinforcing material and the binder are combined while the heat is applied.

Claim 18 (original): The method of claim 15, wherein applying heat includes creating a flame.

Claim 19 (original): The method of claim 15, wherein applying heat includes forming a controlled heat zone and feeding the reinforcing material and binder into the heat zone.

Claim 20 (original): The method of claim 1, wherein the step of applying the mixture to a support surface includes applying the mixture to a vertical support surface.

Claim 21 (canceled).

Claim 22 (original): The method of claim 1, wherein the step of applying the mixture to a surface includes applying the mixture to a surface having ambient air conditions.

Claim 23 (original): The method of claim 1, wherein the step of applying the mixture to a surface includes applying the mixture to a surface having apertures therein.

Claim 24 (original): The method of claim 1, further comprising shaping the mixture after application to the support surface and prior to solidifying.

. Claim 25 (original): The method of claim 1, wherein the step of solidifying the mixture includes cooling the mixture so that it conforms to the shape of the support surface.

Claim 26 (original): The method of claim 1, further comprising applying a moldable material to the preform to form a composite and curing the composite to form a part.

Claim 27 (original): The method of claim 26, further comprising applying a vacuum to the composite before the part is cured.

Claim 28 (original): The method of claim 1, further comprising applying at least one of heat and pressure to the preform to form a molded part.

Claim 29 (original): The method of claim 28, further comprising adding resin to the preform prior to applying at least one of heat and pressure to the preform.

Claim 30 (original): A preform formed in accordance with the method of claim 1.

Claim 31 (currently amended): A method of making a preform for use in forming a structural part, comprising:

providing a stream of fibrous reinforcing material;

adhering particulate binder material to the reinforcing material by providing a stream of heated binder material to the stream of fibrous reinforcing material to form an adhesive mixture; and

spraying the adhesive mixture of the reinforcing material and the binder material against a <u>solid</u> support surface such that the mixture adheres to the <u>solid</u> support surface and solidifies into the preform, wherein a vacuum is not applied to said solid support surface during said spraying.

Claim 32 (original): The method of claim 31, wherein spraying occurs without forced air adjacent to the support surface.

Claim 33 (original): The method of claim 31, wherein spraying occurs in the absence of a plenum system.

Claim 34 (original): The method of claim 31, wherein adhering binder material to the reinforcing material includes conditioning the binder material with heat and forcing the conditioned binder material into the stream of reinforcing material.

Claim 35 (original): The method of claim 31, wherein adhering binder material to the reinforcing material includes creating a heat zone and feeding the reinforcing material and the binder into the heat zone.

Claim 36 (original): The method of claim 31, wherein adhering binder material to the reinforcing material includes layering streams of reinforcing material with streams of binder material in the presence of a flame.

Claim 37 (original): The method of claim 31, wherein providing a stream of fibrous material includes blowing chopped fiberglass.

Claim 38 (original): The method of claim 31, wherein spraying the adhesive mixture includes spraying the mixture onto a vertical support surface.

Claim 39 (original): The method of claim 31, wherein spraying the adhesive mixture includes spraying the mixture onto a solid surface.

Claim 40 (currently amended): A method of claim 31, wherein spraying the adhesive mixture includes spraying the mixture onto a perforated surface making a preform for use in forming a structural part, comprising:

providing a stream of fibrous reinforcing material;

adhering particulate binder material to the reinforcing material by providing a stream of heated binder material to the stream of fibrous reinforcing material to form an adhesive mixture; and

spraying the adhesive mixture of the reinforcing material and the binder material against a perforated support surface such that the mixture adheres to the perforated support surface, wherein a vacuum is not applied to said perforated support surface during said spraying, and solidifies into the preform, said preform incorporating said perforated support surface.

Claim 41 (original): The method of claim 31, wherein spraying the adhesive mixture includes spraying the mixture onto the support surface under ambient air conditions.

Claim 42 (original): A preform formed in accordance with the method of claim 31.

Claim 43 (original): A composite structure molded on the preform formed in accordance with the method of claim 31.